

Инструкция по созданию бэкапа на платформе Huawei



1. Заходим в console.mts.by Далее Console -> Cloud Server Backup Service

Service Desk ×	F Google Переводчик 🛛 🗙 🧮 Password	i Generator Last 🗙 🚺 Consi	ole × +			-	8
O Intips://console.mts.	toud	Center III Console . () Favorites	/cu2//usiregion=test_centossuocale=+	K C C HOUCK	中文(開用) 🖵 🤇		. w
Computing Eastic Cloud Server Image Management Service VMware Elastic Cloud Server VMware Image Management	Storage Cloud Server Backup Service Volums [] Cloud Server Backup Service Elastic Volume Service Volume Cloud Dark	Network Virtual Private Cloud Virtual Private Network Elastic IP Virtual Firewall	Mgmt & Deployment Office Services Recycle Bin Tag Management Approval Process Management	Database Retational Database Service Oracle Database Service			
Click (© to add services to tavorites. You can ad Memory(GB) Storage(GB)	37 mare sentices to twortles. 202 327hof Limited		Users t		HAD LERING	announcement	
Information							
To Be Approved(0) Pending order(0) Resource Expiration Notifications (0)						
roject Center							
Top 5 Projects with the	Most ECSs						

2. Смотрим, добавлена ли выделенная квота для бэкапов в рабочую область, если нет нажимаем Apply for Space/





3. В соответствии с заявленной квотой добавляем, как показано на рисунке ниже.

Apply for space	×
Backup	
Current Space 0 GB	
Used Space 0 GB	
Option Not apply Add space Reduce	space
Add Space 1 TB 2 TB 5 TB Cu	tomize – 100 + GB
Replication	1
Current Space 0 GB	
Used Space 0 GB	
Option Not apply Add space Reduce	space
Configuration Fee Br 0.000000 BYN/GB-Hour	
Add to Cart Apply	Now Cancel

4. Создаем политику автоматического бэкапирования

Backups Polici	es Tasks								
You can specify the el	ecution time, backup p	eriod, retentio	in rules, and other items for a	backup policy to back up	Servers automatically. Lean	more			
Nime	The second contract	AZ	Incremental Backup	Full Backup	Replication	Associated Server Qu	Validity Period	Operation	
	1						- Constant of Constants		
1	A.								
•					e . b				

5. Выбираем вкладку Full Backup Policy. Выбираем время, когда должен начинаться автоматический бэкап. Время можно добавлять несколько значений. Далее Backup Period, т.е с какой частотой(день, неделя, месяц) будет осуществляться бэкап. Далее Retention Rule, т.е сколько бэкап будет хранится. Можно выставлять по времени или по количеству копии, либо на постоянной основе. В данном случае стоит - хранить 15 копии. См. рисунок ниже



Full Backup Policy	Configure later	Configure now					
	Status	•					
	Backup Time	12:15 + Add					
1		The backup interval cannot be less	than 1 hour.				
	Backup Period	By day By week	By month				
		Every – 1 + days	/				
	Retention Rule	By time By quantity	Permanently		/		
		30 90	180	365 Qus	tomize – 15	+	

6. Создаем постоянное задание на выполнение бэкапа. Нажимаем Create CSBS Backup.

Backups Policies	Tasks		00000000 00000	anning by contain	00000001 4000	. for entres			
Delete	cupy o Go siorage spac	e (space occupied by packoj	is, useriouse, space oc	cupieu by replicas		- 🗎	Ali statuses	▼ Backup Na ▼ Fuzzy search	Q
. Name	Status	Backup Type	Processor Archi	Server Name	Server Type	Region/AZ of the	Creater \$	Backup Time \$ Operation	
				No	o records found.				
				N	o records found.				

7. Выбираем машины, которые необходимо бэкапировать и только что созданную нами политику и нажимаем Create now.



erver List:	All statuses (2)	Server nar	me 💌 Fuzzy s	earch Q	C Selected Ser	vers: (0)		Server na	me 💌 Fuzzy s	search Q	
Nam	ne Status	Туре	AZ	Associated	1 Na	me Statu:	Туре	AZ	Associated	Ope	
ecs-	-4b6c 🕤 Runnii	Ig ECS	kvm_az	No							
ecs-	-4968 😔 Runnii	ng ECS	kvm_az	No							
							61	1			
		1					é	^y			
							No data a	available.			
			1								
			1								
			\mathbf{i}								
Auto backu	IP		\sim					,	\ \		
Auto backu Associate I	up the selec backup_pol	cy_114536 🖌		vers will be autom	matically backed up ba	sed on the back	ip policy.				
Auto backu Associate 1 * Backup	up the selec backup_policy Policy: Select a bac	cy_114536 💋		vers will be autom	matically backed up ba	sed on the back	ip policy.				
Auto backu Associate 1 * Backup in Back up no	up The selec backup_pol Policy: Select a bac	cy_114536 💉	\ 	cress will be autom	matically backed up ba	sed on the back	ip policy.				
Auto backu Associate 1 * Backup nc Back up nc	up the selec backup_pol Policy: Select a bac w	cy_114536 🖋		Create Bac	natically backed up ba	sed on the back	ip policy.				

8. В процессе создания бэкап-работы может возникнуть ситуация, когда невозможно добавить ВМ и вылазит сообщение как на рисунке ниже

AZ: kvm_	as been associated	d with another	backup policy, it i	will be disassociated i	from that backup policy	and then asso	clated with tr	ie new one.		
Server List All s	tatuses (2)	Server nar	me 💌 🛛 Fuzzy si	earch Q C	Selected Servers: (I	0)		Server r	name 🔻 Fuzzy s	earch Q
You must set the servers to be as	Same Storage tag sociated.Set now	i for	AZ	Associated	Name	Status	Туре	AZ	Associated	Ope
✓ ccs-4b6c	Running	ECS	kvm_az	No						
✓ □ 0 5-4968	Running	ECS	kvm_az	No						
							No data a	available.		

9. Для этого необходимо пройти в Elastic Cloud Server

Computing	Storage		Net	work		Mgn	nt & Deploy	ment		Database			
lastic Cloud Server	Cloud Server Backup Ser	vice	Virtual Private Cloud				Offline Services				Relational Database Servi		
nage Management Service	Volume Backup Service	Volume Backup Service		VMware Network				Recycle Bin					
Mware Elastic Cloud Server	Elastic Volume Service		Virtual Private Network				Tag Management						
Mware Image Management	VMware Cloud Disk		Elastic IP			Approval Process Management							
			Virtu	al Firewall									
lick $ abla$ to add services to favorites. You can a	add 7 more services to avorites.												

10. Добавить к BM пункт Add Same Storage? Как указано на рисунке ниже



												ö
You are advised	to install the password re	esetting plug-in so that yo	u can conveniently reset th	he password if requ	uired. To determin	e whether to insta	II the plug-in	and obtai	n the address a	ind method for down	oading the plug-in, o	lice here.
You can apply for 0	more ECSs with 0 CPUs	s and 0 GB memory.										
Export List	Tags Management	Operation *				All statuses	*	Name	8 D	Fuzzy Search	Q Sea	arch by Tag 🗧 C
Name	Status	Flavor	Image (Version)	IP Address	EIP	AZ	CPU An	chitec	Expires	Creator	MAC Address	Operation
ecs-4b6c	Running	1vCPU 1 GB	centos 7.0 64bit	192.168.202	134.17.94.198	kvm_az	X86		Never	admin111	fa:16:3e:6b:3	Remote Login Mon
ecs-4968	 Running 	1vCPU 1 GB	CentOS7_minimat	192.168.202	134 17 94 235	i kvm_az	X86		Never	admin 111	fa 16.3e 61.9,	Change Flavor Reset Password Change OS Reinstal OS Make Image Extend Clone Watchdog HA Slop Restart Delete

Далее создаем вновь работу в соответствии с пунктом 7.
 Работа по настройке бэкапа завершена.

