

Смена портов на нестандартные VMware

Смена портов на нестандартные VMware

Если Вам необходимо открыть или закрыть порты и Вы являетесь пользователем VMware, то Вам необходимо войти в Ваш VDC и перейти в раздел Edges

vCloud Director	×	🚺 Log In	× +									- 0 >	
← → C 🔒 vcloud.mt	ts.by/ter											1 вкладка инкогнито 🔒 🌘	
vm vCloud Director												admin Organization Administrator	
All datacenters				_ Test_for_OI	ETP @	Test_for_OETP, @	vcloud.mts.by						
	«	Edges											
III Compute	~	CONFIGURE											
vApps		Status	Name	 Lined NICe		External Nationals		Orn VDC Networks		- LIA Cto	tur		
Virtual Machines		0	00770	2				-		Disels	tent .		
Affinity Rules			UEIP_gw	2						Disab	iéd		
Networking	~											1. Latitures	
Networks												1+Tor Litems	
Edges													
Security													
Storage	~												
Independent Disks													
Storage Policies													
Settings	~												
General													
Metadata													
Recent Tasks												3	\$
Task				y Status	Ψ	Туре	y Initiator	v Start Time	Completion Ti	me	Servic	Namespace T	
						7							
					No rec	ent tasks found							
												More task	4

Выбираем нашу сеть

vCloud Director	×	Log In	×	+								- 0 X
← → C ■ vcloud.mts	.by/ten	ant/Test_for_OET										1 вкладка инкогнито 😸 🔘
vm vCloud Director												admin Organization Administrator
All datacenters					۵.	Fest_for_OETP	⊕ Test_for_OETP, @	vcloud.mts.by				
"" Commute	«	Edges		Î								
::: Compute	Ť	CONFIGURE	SERVICES CONVERT									
vapps		Status	Name	† T	Used NICs		External Networks	т	Org VDC Networks	Ŧ	HA Status	Ŧ
Virtual Machines		0	OETP_gw		2		1		1		Disabled	
Attinity Rules Networking	<u> </u>											
Networks												1-1 of 1 items
Edges												
Security		Edwa Ca	taura Cattina									
Storage	~	Edge Ga	teway setting	5								
Independent Disks		General										
Storage Policies		Name		OETP_gw				Edge Gateway Configuration	on Compact			
Settings	~	Description						High Availability	No			
General		IP										
Metadata		Addresses						Default Gateway				
		External Netv	vorks	Subnets	IP Addre	5545		External Networks	Public Network			
		Public Netwo	ork	134 17 89 0/24	134 17 8	9.79		Default Gateway	134.17.89.254			
Recent Tasks												*
Task					Υ	Status	т Туре	y Initiator	y Start Time ↓	Completion Time	Sen	ice Namespace y
							7					
						No	recent tasks found					
												More tasks



Нажимаем на вкладку Configure Services



Переходим в раздел NAT

📼 vClo	sud Director 🗙 🚺 Log Ir											_	- 0	
	C vcloud.mts.by/tenant/Test_f												1 вкладка инкогнито 🤤	
vm	vCloud Director 🛛 🚍 Dat	acenters									<u>्</u> (୬~	admin Organization Administrat	ior Č
<	Edge Gateway - OETP_gw													
	Firewall DHCP NAT Routing Load Balancer VPN Centificates Grouping Objects Statistics Edge Settings NAT44 Rules													
	Show only user-defined rules		An all and an	Original		Translated		Destand	Fachlad	Levelan	Description			
0	то туре	Action	Applied on	IP Address	Port	IP Address	Port	Protocol	Enabled	Logging	Description			
	196609 User-defined	SNAT	Public Network	10.2.0.0/24	Any	134.17.89.79	Any	Any	~	×				8
	196610 User-defined	DNAT	Public Network	134.17.89.79	Any	10.2.0.2	Any	Any	~	×				
Recen	tables busk z i Match lyvk D No NAT64 nules defined.	x estination Pre	* • Translat	ed lpv4 Source Prefix		Enabled	Logging		Description					× +



Для доступа машины в интернет, необходимо создавать правило SNAT, для того, чтобы предоставлять свои сервисы в интернете, необходимо создать правило DNAT.

- v	oud Director X 🚺 Log In X 🕂					- ø ×
← →	C woloud.mts.by/tenant/Test_for_OETP/vdcs/160982ec-57e8-481d-9af4-dd512d789f25/ec					2 вкладки инкогнито 😝 🏮
vn	vCloud Director 📃 Datacenters					admin Organization Administrator
<						
	NAT44 Rules	Add DNAT Rule	;	×		
	ID Type Action Applied on Original	Applied On:	Public Network ~	Enable		
0	IP Address	Original IP/Range *	134.17.89.79			
	Ed.8007 Diser-defined SNA1 Public Network 102.002/4 196610 User-defined DNA1 Public Network 134.17.89.79	Protocol	TCP ~			
	NAT64 Rules	Original Port	3389 👻			
	+ NAT64 RULE @ * + +	ICMP Type	~			
	ID Match Ipv6 Destination Prefix Translated Ipv4 Source	Translated IP/Range *	10.2.0.2	Descrip		
0	No NATG4 rules defined.	Translated Port	2380			
		Description				
		4		·		
			DISCARD			
Recet						

Для примера покажем настройку для RDP

После заполнения нажимаем Кеер

